

100




FIG. 1

0918754-0390




FIG. 2




FIG. 3




FIG. 4

500

AUTOPLEX Cellular System		CELL EQUIPAGE FACE (ceqface)		Screen 2 of 23
		Cell 76 Face 1		
502	AMPS Fade Timer (in ticks of 200me).....	19)	100	
	TDMA Fade Timer (in ticks of 200 me).....	20)	100	
	Maximum Effective Radiated Power (W).....	21)	100	
	Last Try Code (Directed Retry).....	22)	y	
504	Rate of CDMA Information Word Transmission.....	+23)		
			ACC	DCCH
	All Server Buey Directed Retry.....	24)	y	27) y
	Directed Retry Threshold.....	25)	127	28) -63
	Inadequate Signal Strength Directed Retry.....	26)	y	29) n
	Directed Retry List.....	30)		
506	Cell or Setup Channel Face	Cell or Setup Channel Face	Setup Face	applies to cells using Directional Setup
	r [1] 74	[4] 74	3	
	o [2] 154	[5]		
	w [3] 154	[6]		
508	Directed Retry Unsolicited Page Responses.....	37)	n	
	Enter Review, Validate, screen#, or Print.			

312

314

FIG. 5

600

AUTOPLEX Cellular System															Screen 1 of 6 RESELECTION LIST FOR CONTROL CHANNELS (resel)				
Cell Site Number#1) 76															Antenna Face Number....#2) 1				
Control Channel Reselection List.....#4)																			
Cell	PPF	Tech	Chan	Direct	Retry	Type	Delay	Offset	Hi/Lo	Send	Extndd	Sys	ID						
5)	6)	7)	8)	9)	10)	11)	12)	13)	14)	15)	16)	17)							
74	2	cdcch	784	y	reg	0	-4	high	y										
154	1	cdcch	585	n	reg	0	-4	high	y										
154	3	cdcch	603	n	reg	0	-4	high	y										
74	3	cdcch	793	n	reg	0	-4	high	y										
Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ
606	608	610	612	614	616														

FIG. 6

10020"45281660




FIG. 7

09918754-073001
FOUO E 40 4528T660




FIG. 8